

Resistors					
high watt					
10k 2w	R17				
220k 1w	R35,13,9, 33				
22k 2w	R34				
1/4 watt					
1k	R31,36,20,18,32				
1k5	R10				
2k7	R7,14				
3k9	R24				
10k	R27				
33k	R25, 22				
47k	R30				
68k	R6,5,11,16				
100k	R21				
330k	R26				
470k	R28, 19,12,15				
film capacitors					
		LS			
1000pf/400v	C12	7.5mmLS			
0.03uF/400v	C8	10mm			
220pf/250v	C4	7.5mm			
0.022uF/400v	C1	10mm			
0.01uF/400v	C6,11	10mm			
0.1uF/400v	C2, 3	15mm			
0.022uF/400v	C9	15mm			

trimmer				
1M	R4,3,37		OMIT R37 if unsing front panel control	
Diode/light	1N4758 OR NE2 light			
sockets				
9 pin	V1,2,3			
7 pin	V4			
Octal	T4B			
screw terminal				
3 pin	2pcs	5.08LS		
2pin	4 pcs	5.08LS		
Molex header				
2pin	2pcs			
3pin	2pcs			
4pin	2pcs			
TX				
LL1922				
LL5402				
T4B				
12AX7	2pcs			
12BH7	1pc			
6AQ5	1pc			
Electrolytics				
20uF/450v		1 5mm	OMIT if using regulated PSU	

47uF/450v	1	5mm	OMIT if using regulated PSU	
10uF/400v	1	44.5mm		
50uF/25v	1	15mm		
pots				
A100K	2	GAIN, GR		
Switches				
2P6W or 4P3W	1	METER		
SPST	2	PWR, COMP/LIM		